

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:

- (A) NAME: CIBA-GEIGY AG
- (B) STREET: Klybeckstr. 141
- (C) CITY: Basel
- (E) COUNTRY: Switzerland
- (F) POSTAL CODE (ZIP): 4002
- (G) TELEPHONE: +41 61 69 11 11
- (H) TELEFAX: + 41 61 696 79 76
- (I) TELEX: 962 991

(ii) TITLE OF INVENTION: New process for the production of
biologically active protein

(iii) NUMBER OF SEQUENCES: 12

(iv) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 339 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPLMu.hTGF-beta1 (DSM 5656)

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION:1..336

(D) OTHER INFORMATION:/product= "human TGF-beta1"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

GCC CTG GAC ACC AAC TAT TGC TTC AGC TCC ACG GAG AAG AAC TGC TGC	48
Ala Leu Asp Thr Asn Tyr Cys Phe Ser Ser Thr Glu Lys Asn Cys Cys	
1 5 10 15	
GTG CGG CAG CTG TAC ATT GAC TTC CGC AAG GAC CTC GGC TGG AAG TGG	96
Val Arg Gln Leu Tyr Ile Asp Phe Arg Lys Asp Leu Gly Trp Lys Trp	
20 25 30	
ATC CAC GAG CCC AAG GGC TAC CAT GCC AAC TTC TGC CTC GGG CCC TGC	144
Ile His Glu Pro Lys Gly Tyr His Ala Asn Phe Cys Leu Gly Pro Cys	
35 40 45	
CCC TAC ATT TGG AGC CTG GAC ACG CAG TAC AGC AAG GTC CTG GCC CTG	192
Pro Tyr Ile Trp Ser Leu Asp Thr Gln Tyr Ser Lys Val Leu Ala Leu	
50 55 60	
TAC AAC CAG CAT AAC CCG GGC GCC TCG GCG GCG CCG TGC TGC GTG CCG	240
Tyr Asn Gln His Asn Pro Gly Ala Ser Ala Ala Pro Cys Cys Val Pro	
65 70 75 80	
CAG GCG CTG GAG CCG CTG CCC ATC GTG TAC TAC GTG GGC CGC AAG CCC	288

Gln Ala Leu Glu Pro Leu Pro Ile Val Tyr Tyr Val Gly Arg Lys Pro
85 90 95

AAG GTG GAG CAG CTG TCC AAC ATG ATC GTG CGC TCC TGC AAG TGC AGC 336
Lys Val Glu Gln Leu Ser Asn Met Ile Val Arg Ser Cys Lys Cys Ser
100 105 110

TGA 339

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 112 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

Ala Leu Asp Thr Asn Tyr Cys Phe Ser Ser Thr Glu Lys Asn Cys Cys
1 5 10 15

Val Arg Gln Leu Tyr Ile Asp Phe Arg Lys Asp Leu Gly Trp Lys Trp
20 25 30

Ile His Glu Pro Lys Gly Tyr His Ala Asn Phe Cys Leu Gly Pro Cys
35 40 45

Pro Tyr Ile Trp Ser Leu Asp Thr Gln Tyr Ser Lys Val Leu Ala Leu
50 55 60

Tyr Asn Gln His Asn Pro Gly Ala Ser Ala Ala Pro Cys Cys Val Pro
65 70 75 80

Gln Ala Leu Glu Pro Leu Pro Ile Val Tyr Tyr Val Gly Arg Lys Pro
85 90 95

Lys Val Glu Gln Leu Ser Asn Met Ile Val Arg Ser Cys Lys Cys Ser
 100 105 110

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 339 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(vii) IMMEDIATE SOURCE:

- (B) CLONE: E. coli LC137/pPIMu.hTGF-beta2 (DSM5657)

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION:1..336
- (D) OTHER INFORMATION:/product= "human TGF-beta2"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

GCT TTG GAT GCG GCC TAT TGC TTT AGA AAT GTG CAG GAT AAT TGC TGC	48
Ala Leu Asp Ala Ala Tyr Cys Phe Arg Asn Val Gln Asp Asn Cys Cys	
115 120 125	
CTA CGT CCA CTT TAC ATT GAT TTC AAG AGG GAT CTA GGG TGG AAA TGG	96
Leu Arg Pro Leu Tyr Ile Asp Phe Lys Arg Asp Leu Gly Trp Lys Trp	
130 135 140	
ATA CAC GAA CCC AAA GGG TAC AAT GCC AAC TTC TGT GCT GGA GCA TGC	144
Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ala Gly Ala Cys	

145	150	155	160	
CCG TAT TTA TGG AGT TCA GAC ACT CAG CAC AGC AGG GTC CTG AGC TTA				192
Pro Tyr Leu Trp Ser Ser Asp Thr Gln His Ser Arg Val Leu Ser Leu				
	165	170	175	
TAT AAT ACC ATA AAT CCA GAA GCA TCT GCT TCT CCT TGC TGC GTG TCC				240
Tyr Asn Thr Ile Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Ser				
	180	185	190	
CAA GAT TTA GAA CCT CTA ACC ATT CTC TAC TAC ATT GGC AAA ACA CCC				288
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Ile Gly Lys Thr Pro				
	195	200	205	
AAG ATT GAA CAG CTT TCT AAT ATG ATT GTA AAG TCT TGC AAA TGC AGC				336
Lys Ile Glu Gln Leu Ser Asn Met Ile Val Lys Ser Cys Lys Cys Ser				
	210	215	220	
TAA				339

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 112 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

Ala	Leu	Asp	Ala	Ala	Tyr	Cys	Phe	Arg	Asn	Val	Gln	Asp	Asn	Cys	Cys
1				5					10					15	
Leu	Arg	Pro	Leu	Tyr	Ile	Asp	Phe	Lys	Arg	Asp	Leu	Gly	Trp	Lys	Trp
			20					25					30		

Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ala Gly Ala Cys
35 40 45

Pro Tyr Leu Trp Ser Ser Asp Thr Gln His Ser Arg Val Leu Ser Leu
50 55 60

Tyr Asn Thr Ile Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Ser
65 70 75 80

Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Ile Gly Lys Thr Pro
85 90 95

Lys Ile Glu Gln Leu Ser Asn Met Ile Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 339 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(vii) IMMEDIATE SOURCE:

- (B) CLONE: E. coli LC137/pPIMu.hTGF-beta3 (DSM 5658)

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION:1..336
- (D) OTHER INFORMATION:/product= "human TGF-beta3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

GCT TTG GAC ACC AAT TAC TGC TTC CGC AAC TTG GAG GAG AAC TGC TGT	48
Ala Leu Asp Thr Asn Tyr Cys Phe Arg Asn Leu Glu Glu Asn Cys Cys	
115 120 125	
GTG CGC CCC CTC TAC ATT GAC TTC CGA CAG GAT CTG GGC TGG AAG TGG	96
Val Arg Pro Leu Tyr Ile Asp Phe Arg Gln Asp Leu Gly Trp Lys Trp	
130 135 140	
GTC CAT GAA CCT AAG GGC TAC TAT GCC AAC TTC TGC TCA GGC CCT TGC	144
Val His Glu Pro Lys Gly Tyr Tyr Ala Asn Phe Cys Ser Gly Pro Cys	
145 150 155 160	
CCA TAC CTC CGC AGT GCA GAC ACA ACC CAC AGC ACG GTG CTG GGA CTG	192
Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu	
165 170 175	
TAC AAC ACT CTG AAC CCT GAA GCA TCT GCC TCG CCT TGC TGC GTG CCC	240
Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro	
180 185 190	
CAG GAC CTG GAG CCC CTG ACC ATC CTG TAC TAT GTT GGG AGG ACC CCC	288
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro	
195 200 205	
AAA GTG GAG CAG CTC TCC AAC ATG GTG GTG AAG TCT TGT AAA TGT AGC	336
Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser	
210 215 220	
TGA	339

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 112 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Ala Leu Asp Thr Asn Tyr Cys Phe Arg Asn Leu Glu Glu Asn Cys Cys
1 5 10 15

Val Arg Pro Leu Tyr Ile Asp Phe Arg Gln Asp Leu Gly Trp Lys Trp
20 25 30

Val His Glu Pro Lys Gly Tyr Tyr Ala Asn Phe Cys Ser Gly Pro Cys
35 40 45

Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu
50 55 60

Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro
65 70 75 80

Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro
85 90 95

Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 336 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "recombinant hybrid DNA of

TGF-beta1 and TGF-beta3 DNA"

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPIMu.TGF-beta1(44/45)beta3

(ix) FEATURE:

(A) NAME/KEY: mat_peptide

(B) LOCATION:1..132

(D) OTHER INFORMATION:/product= "N-terminal 44 amino acids of human TGF-beta1"

(ix) FEATURE:

(A) NAME/KEY: mat_peptide

(B) LOCATION:133..336

(D) OTHER INFORMATION:/product= "C-terminal 68 amino acids of human TGF-beta3"

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION:1..336

(D) OTHER INFORMATION:/product= "hybrid TGF-beta named TGF-beta1-3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

GCC CTG GAC ACC AAC TAT TGC TTC AGC TCC ACG GAG AAG AAC TGC TGC	48
Ala Leu Asp Thr Asn Tyr Cys Phe Ser Ser Thr Glu Lys Asn Cys Cys	
1 5 10 15	
GTG CGG CAG CTG TAC ATT GAC TTC CGC AAG GAC CTC GGC TGG AAG TGG	96
Val Arg Gln Leu Tyr Ile Asp Phe Arg Lys Asp Leu Gly Trp Lys Trp	
20 25 30	
ATC CAC GAG CCC AAG GGC TAC CAT GCC AAC TTC TGC TCA GGC CCT TGC	144
Ile His Glu Pro Lys Gly Tyr His Ala Asn Phe Cys Ser Gly Pro Cys	

35	40	45	
CCA TAC CTC CGC AGT GCA GAC ACA ACC CAC AGC ACG GTG CTG GGA CTG			192
Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu			
50	55	60	
TAC AAC ACT CTG AAC CCT GAA GCA TCT GCC TCG CCT TGC TGC GTG CCC			240
Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro			
65	70	75	80
CAG GAC CTG GAG CCC CTG ACC ATC CTG TAC TAT GTT GGG AGG ACC CCC			288
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro			
	85	90	95
AAA GTG GAG CAG CTC TCC AAC ATG GTG GTG AAG TCT TGT AAA TGT AGC			336
Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser			
100	105	110	

(2) INFORMATION FOR SEQ ID NO: 8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 112 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

Ala	Leu	Asp	Thr	Asn	Tyr	Cys	Phe	Ser	Ser	Thr	Glu	Lys	Asn	Cys	Cys
1				5						10				15	
Val	Arg	Gln	Leu	Tyr	Ile	Asp	Phe	Arg	Lys	Asp	Leu	Gly	Trp	Lys	Trp
		20						25					30		
Ile	His	Glu	Pro	Lys	Gly	Tyr	His	Ala	Asn	Phe	Cys	Ser	Gly	Pro	Cys
		35						40						45	

Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu
50 55 60

Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro
65 70 75 80

Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro
85 90 95

Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 336 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "recombinant hybrid DNA
coding for hybrid TGF-beta2-3"

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPIMu.TGF-beta2(44/45)beta3

(ix) FEATURE:

- (A) NAME/KEY: mat_peptide
- (B) LOCATION:1..132
- (D) OTHER INFORMATION:/product= "N-terminal 44 amino
acids of human TGF-beta2"

(ix) FEATURE:

- (A) NAME/KEY: mat_peptide
 (B) LOCATION:133..336
 (D) OTHER INFORMATION:/product= "C-terminal 68 amino acids of human TGF-beta3"

(ix) FEATURE:

- (A) NAME/KEY: CDS
 (B) LOCATION:1..336
 (D) OTHER INFORMATION:/product= "hybrid TGF-beta2-3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

GCT TTG GAT GCG GCC TAT TGC TTT AGA AAT GTG CAG GAT AAT TGC TGC	48
Ala Leu Asp Ala Ala Tyr Cys Phe Arg Asn Val Gln Asp Asn Cys Cys	
1 5 10 15	
CTA CGT CCA CTT TAC ATT GAT TTC AAG AGG GAT CTA GGG TGG AAA TGG	96
Leu Arg Pro Leu Tyr Ile Asp Phe Lys Arg Asp Leu Gly Trp Lys Trp	
20 25 30	
ATA CAC GAA CCC AAA GGG TAC AAT GCC AAC TTC TGC TCA GGC CCT TGC	144
Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ser Gly Pro Cys	
35 40 45	
CCA TAC CTC CGC AGT GCA GAC ACA ACC CAC AGC ACG GTG CTG GGA CTG	192
Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu	
50 55 60	
TAC AAC ACT CTG AAC CCT GAA GCA TCT GCC TCG CCT TGC TGC GTG CCC	240
Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro	
65 70 75 80	
CAG GAC CTG GAG CCC CTG ACC ATC CTG TAC TAT GTT GGG AGG ACC CCC	288
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro	
85 90 95	

AAA GTG GAG CAG CTC TCC AAC ATG GTG GTG AAG TCT TGT AAA TGT AGC 336
Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 112 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

Ala Leu Asp Ala Ala Tyr Cys Phe Arg Asn Val Gln Asp Asn Cys Cys
1 5 10 15
Leu Arg Pro Leu Tyr Ile Asp Phe Lys Arg Asp Leu Gly Trp Lys Trp
20 25 30
Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ser Gly Pro Cys
35 40 45
Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu
50 55 60
Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro
65 70 75 80
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro
85 90 95
Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 336 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "recombinant hybrid DNA coding for hybrid TGF-beta3-2"

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPIMu.TGF-beta3(44/45)beta2

(ix) FEATURE:

- (A) NAME/KEY: mat_peptide
- (B) LOCATION:1..132
- (D) OTHER INFORMATION:/product= "N-terminal 44 amino acids of human TGF-beta3"

(ix) FEATURE:

- (A) NAME/KEY: mat_peptide
- (B) LOCATION:133..336
- (D) OTHER INFORMATION:/product= "C-terminal 68 amino acids of human TGF-beta2"

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION:1..336
- (D) OTHER INFORMATION:/product= "hybrid TGF-beta3-2"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

GCT TTG GAC ACC AAT TAC TGC TTC CGC AAC TTG GAG GAG AAC TGC TGT

Ala	Leu	Asp	Thr	Asn	Tyr	Cys	Phe	Arg	Asn	Leu	Glu	Glu	Asn	Cys	Cys		
1				5					10					15			
GTG	CGC	CCC	CTC	TAC	ATT	GAC	TTC	CGA	CAG	GAT	CTG	GGC	TGG	AAG	TGG		96
Val	Arg	Pro	Leu	Tyr	Ile	Asp	Phe	Arg	Gln	Asp	Leu	Gly	Trp	Lys	Trp		
			20					25					30				
GTC	CAT	GAA	CCT	AAG	GGC	TAC	TAT	GCC	AAC	TTC	TGT	GCT	GGA	GCA	TGC		144
Val	His	Glu	Pro	Lys	Gly	Tyr	Tyr	Ala	Asn	Phe	Cys	Ala	Gly	Ala	Cys		
			35					40					45				
CCG	TAT	TTA	TGG	AGT	TCA	GAC	ACT	CAG	CAC	AGC	AGG	GTC	CTG	AGC	TTA		192
Pro	Tyr	Leu	Trp	Ser	Ser	Asp	Thr	Gln	His	Ser	Arg	Val	Leu	Ser	Leu		
		50						55				60					
TAT	AAT	ACC	ATA	AAT	CCA	GAA	GCA	TCT	GCT	TCT	CCT	TGC	TGC	GTG	TCC		240
Tyr	Asn	Thr	Ile	Asn	Pro	Glu	Ala	Ser	Ala	Ser	Pro	Cys	Cys	Val	Ser		
	65				70					75					80		
CAA	GAT	TTA	GAA	CCT	CTA	ACC	ATT	CTC	TAC	TAC	ATT	GGC	AAA	ACA	CCC		288
Gln	Asp	Leu	Glu	Pro	Leu	Thr	Ile	Leu	Tyr	Tyr	Ile	Gly	Lys	Thr	Pro		
				85						90				95			
AAG	ATT	GAA	CAG	CTT	TCT	AAT	ATG	ATT	GTA	AAG	TCT	TGC	AAA	TGC	AGC		336
Lys	Ile	Glu	Gln	Leu	Ser	Asn	Met	Ile	Val	Lys	Ser	Cys	Lys	Cys	Ser		
			100					105						110			

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 112 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

Ala Leu Asp Thr Asn Tyr Cys Phe Arg Asn Leu Glu Glu Asn Cys Cys
1 5 10 15

Val Arg Pro Leu Tyr Ile Asp Phe Arg Gln Asp Leu Gly Trp Lys Trp
20 25 30

Val His Glu Pro Lys Gly Tyr Tyr Ala Asn Phe Cys Ala Gly Ala Cys
35 40 45

Pro Tyr Leu Trp Ser Ser Asp Thr Gln His Ser Arg Val Leu Ser Leu
50 55 60

Tyr Asn Thr Ile Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Ser
65 70 75 80

Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Ile Gly Lys Thr Pro
85 90 95

Lys Ile Glu Gln Leu Ser Asn Met Ile Val Lys Ser Cys Lys Cys Ser
100 105 110